

Michael O. Leavitt Governor Kathleen Clarke Executive Director Robert L. Morgan State Engineer

1594 West North Temple, Suite 220 PO Box 146300 Salt Lake City, Utah 84114-6300 801-538-7240 801-538-7467 (Fax)

March 28, 2001

BRAD GARDNER UTAH LAKE JORDAN RIVER COMMISSIONER 7555 SOUTH WOODS LANE MIDVALE UT 84047

Re: Reductions in releases from Utah Lake

Dear Brad:

The following figures reflect the new maximum diversion rates for the canal companies on the Utah Lake/Jordan River Distribution System. The diversions have been adjusted to account for change applications which have transferred a portion of the water right of the respective companies. You are directed to reduce the diversion of each of the canals by the indicated amount or percentage for the 2001 irrigation season, if the full amount is not being diverted to release the water. Please hold the water in storage in Utah Lake until further directed; however, no year to year carryover will be allowed.

Canal Company	Diversion Reduction CFS	%	New Diversion Limit (CFS)
Draper and Sandy	11.4	17.5	48.6
North Jordan	54	66	27.6
Utah Lake Distributing	12	9	123
East Jordan	67	39	103
Utah & SL Canal	73.8	30	172.2
South Jordan	56.8	40	85.2

Sincerely,

Robert L. Morgan, P.E.

State Engineer

RLM:JER:cp

cc: Lee Sim Jim Riley